

SPRING-1960

You are always welcome at Bulk's Nurseries. Come to see us and we will be happy to show you our many blocks of fine well grown stock, especially suited for the landscape trade.

Growers of
Choice Nursery Stock
For Over 30 Years

Bulk's Nurseries

INC.

Babylon, L. J., N. Y.

C. (Case) van Abshoven, Nursery Superintendent

Telephone: MOhawk 9-4400 Evenings: MOhawk 9-5728

Greehold, New Jersey

Rudolf Etzler, Nursery Superintendent Telephone: FReehold 8-5500

Evenings: FReehold 8-4298

NEW JERSEY STOCK LIST UPON REQUEST

Terms and Conditions of Sale:

The prices published in this list cancel those in all previous lists. They are based on present market conditions and are subject to change without notice.

Prices listed are F.O.B. our Nurseries. Transportation at cost borne by the purchaser.

Quantities 1 to 5 at the each rate; 5 to 25 at the 10 rate; 25 and over at the 100 rate.

All $s \, t \, o \, c \, k$ when especially selected on the nursery will be sold at $p \, r \, i \, c \, e \, s$ commensurate with the values of the specimens chosen.

In general, we are unable to do any baling or boxing.

Guarantee: As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

Claims: All claims must be made immediately upon receipt of stock.

Terms: Cash with order, or 30 days to parties who have established credit with us.

Balling and burlapping free of charge on evergreens, and also on deciduous stock where B&B is specified; but an additional charge will be made if deciduous stock, not marked B&B, is requested balled and burlapped.

		LLING CHARGES bending on Varieties
DECIDUOUS	S TREES	
$\frac{1\frac{1}{4}-1\frac{1}{2}''}{1\frac{1}{2}-2''}$	Caliper	\$ 4.50 5.75
2-22"	"	8.50
$2\frac{1}{2} - 3''$ $3 - 3\frac{1}{2}''$,,	11.00 15.00
$3\frac{1}{2}-4'' \ 4-4\frac{1}{2}''$;;	20.00 28.00
$4\frac{1}{2}-5''$ $5-6''$	"	38.00 48.00
6-7" 7-8"	"	60.00 80.00
FLOWERIN	G SHRUBS	00.00
2-3'		65
3-4'		.75
4-5'		1.00
5-6'		1.50
6-8'		2.50 to 3.50
8-10′		5.00 to 6.00

The cost of platforms is in addition to the above charges; but will be rebated if they are returned to our nurseries.

Prices Subject to Change Without Notice.

2 BU	JLK'S NUI	RSERIES	, INC.	3
ABIES dougla			Each per 10	Each per 100
Sec	e Pseudotsi	ıga — P	age 16	
ACER filicifoli	ium (Fernl	eaf Japa	nese Mapl	e) B&B
3-4'		9.00		
4-5'		12.00		
A. palmatum	(Japanese (Green M	aple) — I	3&B
2-3'		2.25	2.00	1.75
3-4'		3.50	3.25	3.00
4-5'		5.25	4.75	
A. palmatum a	tropurpure	um (Jap	anese Red	Maple)
1½-2′ Gra	fted	4.75	4.25	
Z-Z=	,,	6.25	5.25	4.75
22-3	,,	8.25	7.50	
3-4	,,	10.75	9.50	8.75
4-5'	,,	13.50	12.00	
A. palm. atrop	urpureum	nigra (J	ap. Red M	Iaple)
Deep	_			
_	fted	5.75	5.25	
$2-2\frac{1}{2}'$,,	7.25	6.50	6.00
$2\frac{1}{2} - 3^{7}$,,	9.50	8.50	
$\tilde{3}$ -4'	,,	12.50	11.50	
4-0	,,	17.50	15.75	14.00
5-6'	,,	22.50		
A. platanoides	(Norway	Maple)		
1½-1¾" Ca		8.25	7.00	5.75
$1\frac{3}{4} \cdot 2''$		9.75	8.50	7.00
2-21"	,	12.75	11.00	9.00
$2\frac{1}{4} - 2\frac{1}{2}''$,	15.00	13.00	11.00
$2\frac{1}{2}-3''$		19.50	17.50	15.00
$3-3\frac{1}{2}''$ '		25.00	22.00	19.00
$3\frac{1}{2}-4''$		30.00	27.00	25.00
4-5"	•	40.00	36.00	
5-6"	,	50.00		
A. platanoides	crimson ki	ng (Plan	t Pat. No.	. 735)
	son King M			,
$1\frac{1}{2}$ - $1\frac{3}{4}$ " Ca		12.00	10.75	
$1\frac{3}{4}-2''$,	16.00	14.50	
$2-2\frac{1}{4}''$,		20.00	18.00	
$2\frac{1}{4}$ - $2\frac{1}{2}$ ",		25.00	22.00	
$2\frac{1}{2}$ -3",		29.00	26.00	23.00
$3-3\frac{1}{2}''$,	35.00		
A. rubrum (R	ed or Swa	mn Manl	e)	
	al.	22.00	,	
	,	28.00		
_	(Cuden W.			
A. saccharum		-	19.00	
	al.	14.50	13.00	14.00
Z4-Z2	,	18.00 22.00	16.00 19.50	14.00 17.00
$\frac{2\frac{1}{2}-3}{3-3\frac{1}{2}''}$		27.00	19.50	17.00
∂-0 <u>2</u>		41.00		

BULK'S N	URSERIES	, INC.	3
ALBIZZIA julibrissin (Each Mimosa)	Each per 10	Each per 100
5-6'	4.75		
6-7'	6.75		
APPLES in varieties	40.50	4. 0.7	00
5 to 6-yr. 6-8' Larger Sizes			.00 each
ARONIA arbutifolia bi (Brilliant Red			
3-4'	1.25	1.00	
4-5'	1.50	1.25	1.00
5-6'	2.00	1.75	1.50
AZALEA amoena (pu	rple-red)		
12-15"	2.25	2.00	
15-18"	3.00	2.75	2.50
$1\frac{1}{2}$ -2'	4.00	3.75	3.50
$2-2\frac{1}{2}'$	6.00	5.50	5.00
$2rac{1}{2}$ -3'	8.00	7.00	6.50
$3-3\frac{1}{2}'$	9.75		
A. hino crimson			
12-15"	2.50	2.25	2.00
15-18"	3.50	3.25	3.00
A. kaempferi (Torch A	zalea)		
$1\frac{1}{2}$ -2'	4.00	3.75	
$2-2\frac{1}{2}$	5.50	5.00	
$2\frac{1}{2}$ - $3'$	7.50		
A. kaempferi hybrid F	edora (Sa	lmon-Ros	e)
$1\frac{1}{2}-2'$	4.00	3.75	3.50
2-21/	5.50	5.25	4.75
$2\frac{1}{2} - 3^{2}$	7.50	6.75	
A. Firefly (scarlet)			
12-2'	3.75	3.50	3.25
$\bar{2}$ -2 $\frac{1}{2}$ '	5.00	4.50	4.00
$2\frac{1}{2}$ -3'	6.50	6.00	
A. Hinodegiri (red)			
12-15"	2.50	2.25	2.00
15-18"	3.50	3.25	3.00
$1\frac{1}{2}$ -2'	4.50	4.25	4.00
A. hinomayo (Shell Pin	k)		
15-18"	3.50	3.25	3.00
18-24"	4.50	4.25	
$2-2\frac{1}{2}'$	6.00		
A. ledifolia alba (White)			
15-18"	3.50	3.25	3.00
18-24"	4.50	4.25	4.00
$2-2\frac{1}{2}'$	6 00	5.25	
$2\frac{1}{2}-3'$	7.50		

	,		
	Each	Each per 10	Each per 100
AZALEA lilacina (Lil	lac) Fragran		
11-2'	4.25	4.00	3.75
$2-2\frac{1}{2}$	5.25	4.75	4.25
$2\frac{1}{2}-3'$	7.00	6.25	5.75
$3-3\frac{1}{2}'$	9.00	8.00	
A. macrantha			
15-18"	3.75	3.50	
$1\frac{1}{2}$ -2'	4.75	4.25	
A. mucronulatum (Me Pinkish-lavenda		alea)	
18-24"	4.00	3.75	
$2-2\frac{1}{2}$	5.50	5.25	
$2\frac{1}{2}$ -3'	7.00	0.20	
A. Orange Beauty			
15-18"	3.50	3.25	3.00
$1\frac{1}{2}$ -2'	4.50	4.25	
A. pontica in varieties	s (yellow, re	ed and ora	inge)
18-24"	4.25	3.75	
$2-2\frac{1}{2}'$	5.25	4.75	
$2\frac{1}{2} - 3'$	6.50	6.00	
3-4'	8.50		
4-5'	11.00		
A. poukhanensis (Ko	rean Azalea)	
15-18"	3.50	3.25	
$1\frac{1}{2}-2'$	4.25	4.00	
$2-2\frac{1}{2}'$	5.50	5.00	
$2\frac{1}{2}$ -3'	7.00		
A. schlippenbachi (Soi	ft Pink)		
$1\frac{1}{2}-2'$	4.50	4.25	
BERBERIS Julianae (Barberry)	—В&В
$1\frac{1}{2}$ -2'	3.25	3.00	2.50
$2\frac{1}{2}$ -3'	5.25	4.50	
3-4'	7.25	6.50	5.25
$4-4\frac{1}{2}'$	8.50	7.50	
B. thunbergi (Jap. Ba			
15-18"	.45	.40	.32
$1\frac{1}{2}-2'$.55	.45	.38
$2-2\frac{1}{2}'$.70	.60	
B. thunbergi atropurp			
15-18"	.60	.50	.40
$1\frac{1}{2}$ -2'	.70	.60	.50
$2-2\frac{1}{2}$.80	.70	.60
$2\frac{1}{2} - 3'$.90	.85	.75
$3-3\frac{1}{2}'$	1.25	1.00	

BU	LK'S NUR	SERIES	, INC.	5
		Each	Each per 10	Each per 100
BETULA alba	(European			B&B
6-8'		8.00	7.25	
8-10′		11.00	10.00	8.25
10-12'		15.00	13.50	12.00
12-14′		20.00	18.00	15.50
14-16′		25.00	22.00	
B. alba (Clum	ps)	5.00	4.50	4.00
4-5′		5.00	4.50	4.00
5-6'		6.50	5.75	5.00
6-8'		9.25	8.25	7.50
8-10′		12.50	11.00	10.00
10-12'		15.50	14.00	
12-14'		22.00	19.50	
	Cutleaf Bird		B&B	
1¾-2″ Cal		20.00		
4-42		27.00		
$2\frac{1}{2} - 3''$ "		33.00		
BIOTA — Se	e Thuja			
BUDDLEIA (1			Charming	g Pink,
	net, Wine		0.5	
3-4'		.80	.65	
Heavy		1.50	1.25	
CALLICARPA	purpurea	(Chinese		-
3-4'		1.00	.90	.70
CALYCANTHO	OS floridus	(Sweet	Shrub)	
3-4'		1.20	1.00	.80
4-5'		1.75	1.50	1.10
5-6'		2.25		
CEDRUS atlan	itica (Atlas	Cedar))	
$2-2\frac{1}{2}'$		4.50	4.00	
$2\frac{1}{2} - 3'$		5.75	5.00	
$\tilde{3}$ -4'		7.00	6.00	
4-5'		8.25		
C. atlantica gla	auca (Blue	Atlas C	edar)	
6-7′ B&I	3	18.00		
CELTIS occide	entalis (Ha)	
13/4-2" Cal		10.00		
$2-2\frac{1}{2}''$ "		14.00	12.50	
$2\frac{1}{2}-3''$ "		18.00		
CEPHALANTE	IUS occiden	ntalis_(H	Button Bus	sh)
4-5'		1.75	1.50	
CERCIDIPHYI	LUM japor			ree)
5-6'		4.25	3.75	
6-8'		5.75	5.00	4.50
8-9'		8.75	7.75	
CERCIS canade	ensis (Red	Bud or	Judas Tre	ee)
4-5'		2.25		
5-6'		3.00		

6 BULK	'S NURSERIES,	INC.	
CHAMAECYPARI	Each S obtusa (Hinoki	Each per 10 Cypres	Each per 100 s)
21-3'	3.75	3.50	-,
$\frac{2}{2}$ -3 3 -4'	4.25	4.00	
4-5'	6.00	5.50	
4-0	0.00	5.50	
C. crispi (Golden C. obtusa gracilis		Cypress	;)
$1\frac{1}{2}-2'$	3.75	3.50	3.25
2-21'	4.75	4.25	4.00
$2\frac{1}{2}$ -3'	6.00	5.25	4.75
3-3½'	7.50	6.75	
C. obtusa gracilis			
· -	linoki Cypress)		
$1\frac{1}{2}$ -2'	5.75	5.25	
2-21/	7.00		
C. obtusa gracilis	nana (Dwarf Hine	ki Cypr	QSS)
6-8'	75.00		
C. plumosa (Plur	ne Cypress)		
$2-2\frac{1}{2}'$	2.75	2.50	2.25
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
3-4'	3.85	3.50	3.20
4-5'	5.25	4.75	4.25
5-6'	7.50	7.00	6.50
6-7'	9.75	8.75	
C. pisifera aurea (Golden Sawa	ra Cuntess)		
2-21/	2.75	2.50	2.25
$\frac{2^{2}2^{2}}{2^{\frac{1}{2}}-3'}$	3.25	3.00	2.75
3-31/2	3.75	3.50	3.25
$3\frac{1}{2}-4'$	4.75	4.25	3.75
4-5'	6.50	6.00	5.00
5-6'	8.00	7.25	
6-7'		10.00	
7-8'	14.00		
8-10'	18.00		
10-11'	23.00		
C. plumosa aures	(Gold Dust)		
15-18"	1.75	1.50	1.35
$1\frac{1}{2}$ -2'	2.25	2.00	1.75
$\frac{1}{2} - \frac{1}{2}$	2.75	2.50	2.25
$2\frac{1}{2}-3'$	3.25	3.00	2.75
$3-3\frac{1}{2}'$	3.75	3.50	3.25
$3\frac{1}{2}-4^{7}$	4.75	4.25	3.75
4-5'	6.50	6.00	5.00
5-6'	8.00	7.25	6.75

		Each	Each
OTT 4 3 5 4 5 4 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Each	per 10	per 100
CHAMAECYPARIS			ib)
$2\frac{1}{2}$ -3'	3.75	3.50	
3-4'	4.25	4.00	
4-5'	6.50	6.00	
5-6'	8.00	7.25	
6-7'	12.00		
	olden Thread	Cypess)	
$2-2\frac{1}{2}'$	4.50	4.00	
C	a		
C. squarrosa (Moss			
$1\frac{1}{2}$ -2'	2.25	2.00	1.75
$2-2\frac{1}{2}'$	2.75	2.50	2.25
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
$3-3\frac{1}{2}'$	3.75	3.50	3.25
$3\frac{1}{2}-4'$	4.75	4.25	
4-5'	6.50	6.00	
CLETHRA alnifolia	(Summer Sw	eet)	
3-4'	1.25	1.00	
4-5'	1.50		
C. alnifolia rosea (I	ink Summer	Sweet)	
(New)			
3-4'	3.50	3.25	
CORNUS florida (W	-	-B&B	
4-5'	5.00	4.50	
5-6'	7.00	6.00	5.50
6-7'	9.50	8.50	8.00
7-8'	11.50	10.50	
8-10'	16.00		
C. fler. rubra (Red		B&B	
3-4'	5.75	5.25	
4-5'	7.25	6.50	
5-6'	9.50	8.50	7.50
6-7' Heavy	13.25	11.75	10.00
7-8' "	18.00	16.00	14.50
8-9' "	24.00	22.00	
9-10' "	30.00		
0 10	00.00		
C. mas (Cornelian C	herry) — B&	zB	
6-8' Heavy	9.50		
o o neary	0.00		
C. sanguinea & stole	nifera		
(Blood Twig &		logwood)	
2-3'	.80	.70	.55
3-4'	1.00	.90	.70
0 1	1.00	.00	
C. stolonifera lutea	Yellow Twig	Dogwood)
2-3'	.90	.80	.65
3-4'	1.00	.90	.00
0-1	1.00	.50	

COMONE A COMED.	Each	Each per 10	Each per 100
COTONEASTER h	orizontalis (Roc rown — Heavy		
12-15"	2.25	2.00	1.75
15-18"	2.50	2.25	2.00
		2.75	2.00
$1\frac{1}{2}$ -2'	3.00	2.75	
C. divaricata — Ba			
2-3'	2.25	2.00	
3-4'	2.75	2.50	2.25
4-5'	3.25	3.00	2.75
C. divaricata (Cont	tainer Grown)		
$1\frac{1}{2}$ -2'	2.25	2.00	1.75
2-21/	3.75	2.50	2.25
C. franchetti — Be			
5-6'	4.00	3.50	3.00
-			
6-8'	5.25	4.50	3.75
CRYPTOMERIA ja	p. Lobbi		
$2\frac{1}{2}$ -3'	3.75	3.50	
3-4'	5.00	4.50	
4-5'	7.00		
6-8'	12.00		
CYDONIA japonica	/Innanasa Oui	mea)	
	1.00		.60
$1\frac{1}{2}-2'$.80	
$2-2\frac{1}{2}'$	1.25	1.00	.75
$2\frac{1}{2}$ -3'	1.50	1.25	1.00
DAPHNE mezereu		phne)	B&B
15-18"	2.75	2.50	
$1\frac{1}{2}-2'$	3.25	3.00	2.75
$2-2\frac{1}{2}'$	4.25	3.75	
DEUTZIA crenata	P of R and co	enata ro	200
3-4'	.80	.70	.60
4-5'	1.00	.90	.80
5-6'	1.35	1.10	.95
6-7'	2.25	2.00	.50
		2.00	
D. gracilis (Slende			00
15-18"	.90	.75	.60
$1\frac{1}{2}-2'$	1.10	.90	.75
$2-2\frac{1}{2}'$	1.35	1.10	
ELAEAGNUS com		tea)	
	y Russian Olive		
$2\frac{1}{2}$ -3'	1.75	1.50	
3-4'	2.25	2.00	
ENKIANTHUS (I	Red Vein Enkiar	ithus) —	B&B
2-21/2	3.25	3.00	2.75
$2\frac{1}{2}$ -3'	4.00	3.50	3.25
3-4'	5.25	4.75	4.25
_		4.10	4.20
EUONYMOUS alat	tus		
2-3'	1.75	1.50	1.25
3-4'	2.25	2.00	

	BULK'S N	URSERIES,	INC.	9
		Each	Each per 10	Each per 100
EUONYMI	US	Lacii	per 10	pci 100
E. patens				
$2-2\frac{1}{2}'$	B&B	3.50		
$2\frac{1}{2}-3'$	"	4.25		
vogetne	(Evergreen	Winter C	conor)	
B&I	_	WILLIEI CI	(cepci)	
15-18"		1.75	1.50	1.25
$1\frac{1}{2}$ -2'		2.00	1.75	1.50
$2-2\frac{1}{2}'$		2.50	2.25	
EXOCHOR	DA grandific	ora (Pearlb	ush)	
5-6'		1.50	1.25	
6-8'		2.00	1.75	
_	lvatica river		Copper Be	eech)
	vy Calipered			
8-10'		45.00		
10-12′		60.00		
FORSYTH	IA fortunei			
F. spectab	lis			
3-4'		.90	.75	.65
4-5'		1.15	1.00	.85
5-6'		1.60	1.40	1.25
6-7′		2.25	2.00	
_	od Gold & F	_	lory	
3-4'		1.20	1.00	.85
4-5'		1.40	1.15	1.00
5-6'		1.70	1.50	1.35
6-7′		2.25	2.00	
GLEDITSI	A inermis (S			Locust)
8-10′	(Plant Pate	nt No. 155) 8.00	7.00	
10-12'		10.00	9.00	
12-14			11.00	
12 11		12.00	11.00	
	helix (Englis			
2¼″ P	ots	.35	.30	.25
	Rose of Sh te, Semi Dou		e D'Arc	_
	tanley — Pi		te, Double	e
I. Lucy -	- Red, Doub	ole		
I. Snowdr	ift — White	, Double		
3-4'		1.00	.85	.75
4-5'		1.25	1.00	
5-6'		2.00		


10 BULK	5 NUIGERIES	, IIVC.	
	Each	Each per 10	Each per 100
HIBISCUS syriacus		(New)	
•	ge deep pink	flowers)	
H. coelestis — Blu		_	
H. W. R. Smith —	_		=0
2-3'	1.00	.85	.70
3-4'	1.25	1.00	
4-5'	1.75	1.50	
5-6'	2.50	2.25	
HYDRANGEA pee	gee		
2-3'	.90	.80	.60
3-4'	1.10	1.00	.85
4-5'	1.50	1.25	
ILEX aquifolia (E1	nglish Holly)		
2-3'	7.00		
3-4'	9.00		
I. convexa (bullata) (Japanese l	Royleaf H	ally)
15-18"	3.50	3.25	2.75
18-24"	4.75	4.25	4.00
$2-2\frac{1}{2}$	6.00	5.50	1.00
$2\frac{1}{2}-3'$	7.50	0.00	
2			
I. crenata (Jap. Ho		0.50	0.05
$\frac{1_{2}}{2}-2'$	3.75	3.50	3.25
$2-2\frac{1}{2}'$	4.75	4.25	4.00
$\frac{2\frac{1}{2}-3'}{2}$	5.75	5.25	4.75
$3-3\frac{1}{2}$	7.50	6.75	5.75
3½-4′	8.50	7.75	7.00
4-5'	11.00	10.00	9.00
5-6' 6-7'	15.75 20.00	14.75 18.00	13.75
		10.00	
	ing Type)		
	Cushion Type		
15-18"	3.50	3.25	0.75
18-24"	4.50	4.25	3.75
$2-2\frac{1}{2}$	5.50	5.25	4.75
$2\frac{1}{2} - 3'$	7.00	6.50	5.75
$3-3\frac{1}{2}$	9.50	8.75	8.00
$3\frac{1}{2}$ -4'	12.50	11.00	
I crenata compacta			Hardy)
15-18" Spread	4.25	4.00	
$1\frac{1}{2}-2'$ "	5.00	4.50	4.25
$2-2\frac{1}{2}'$ "	6.75	6.25	5.75
$2\frac{1}{2}$ -3' "	8.00	7.25	
ILEX glabra (Inkl	berry)		
15-18"	2.50	2.25	2.00
13-2'	3.00	2.75	2.50
$\frac{1}{2} - \frac{1}{2}$	3.75	3.50	3.25
$2\frac{1}{2}$ -3'	5.00	4.50	4.00
3-31/	6.50	5.75	
$3\frac{1}{2}-4^{7}$	7.75	7.00	
4-5'	9.00	8.00	

1	OLK'S NO	RSERIES,	INC.	11
			Each	Each
		Each	per 10	per 100
ILEX opaca	(American	Helly)		
$2\frac{1}{2}$ -3'		5.00	4.50	
3-4'		7.50	7.00	6.50
4-5'		12.00	11.00	10.00
	0.077==	16.00	14.50	10.00
	eavy			10.50
5-6'	"	20.00	18.00	16.50
6-7'		27.00	24.00	
7-8'	"	33.00		
I. opaca brill	liantissima			
(On	e of the be	est named	varieties,	
Heav	y fruiting,	Dark green	n foliage)	
		5.75		5.00
3-4'		8.25	7.75	7.25
4-5'		13.50	12.50	11.50
5-6'		21.00	19.00	
T notundifoli	a (Pound	Loof Ton	Holler)	
I. rotundifoli	a (Nound			0.50
$1\frac{1}{2}-2'$		4.00	3.75	3.50
$2 - 2\frac{1}{2}'$		5.25	4.75	
$2\frac{1}{2}$ -3'		6.25	5.75	
$3-3\frac{1}{2}'$		7.75		
I. verticillat	a (Winterl	erry)		
2-3'	(())	1.25	1.00	.85
2-3 3-4'				
		1.35	1.15	1.00
4-5'		1.75	1.50	1.25
5-6'		2.25	2.00	1.75
6-7′		3.00	2.75	
JUNIPERUS	S chinensis	s nfitzeriar	19.	
	er Juniper			
15-18"		3.00	2.75	
1½-2′		3.50	3.25	
31-4'		9.50	8.50	
4-5'		14.50	13.00	
5-6′		19.00		
J. columnari	S			
6-8'		14.00	13.00	
J. communis	hibernica			9.77
3-4'		4.50	4.00	3.75
4-5′		6.00		
J. depressa p	lumosa (A	ndorra Jun	iper)	
15-18"		3.00	2.75	
$1\frac{1}{3}-2'$		3.50	3.25	
12.4		0.00	0.20	
J. stricta				
$2\frac{1}{2}$ -3'		4.00	3.75	
$\bar{3}$ -3 $\frac{1}{2}$ '		5.00	4.50	4.00
$3\frac{1}{2}-4^{7}$		5.75	4.75	4.50
4-41/		7.00	6.25	
2				



AIR VIEW OF MAIN NURSERIES SO

1
00
5



		Ea	ch	per 10	per 100
KERRIA	japonica	florepleno	(Gold	en Kerri	a)
2-3'		1.	25	1.10	
3-4'		1.	75		
KOELRE	UTERIA	paniculata	(Gold	len-Rain	Tree)
4-5'		3.	50		
5-6′		5.	25	4.75	
6-8′		7.	00	6.25	
8-10′		10.	00		
		(Japanese Golden Fa			В

10.00

13.50

17.00

9.00

12.00

15.50

(The Best of the Larches)

6-7'

7-8'

8-10'

14 BULK'S NU	RSERIES,	INC.	
•		Each	Each
	Each	per 10	per 100
LEUCOTHOE catesbaei			
15-18"	3.00	2.75	2.50
$1\frac{1}{2}$ -2'	3.75	3.50	3.25
$2-2\frac{1}{2}'$	4.50	4.25	4.00
LIGUSTRUM ibota rege	lianum (Re	gel's Pri	vet)
2-3'	.70	.60	
3-4'	1.25	1.00	
L. ovalifolium (Californi	ia Privet)	10	10
12-18"		.13	.10
2-3' Heavy		.22	.18
3-4		.30	.25
4-5' "		.40	.35
LIQUIDAMBER styrac	iflua (Swee	et Gum)	B&B
2½-3" Cal.	33.00		
3-31// "	41.00	37.00	
31-4" "	49.00	44.00	
4-41" "	68.00	62.00	
1-12	00.00	02.00	
LIRIODENDRON tulipif	era (Tulip	Tree) -	- B&B
8-10' 1½-1½" Cal	. 9.75		
$8-12'$ $1\frac{1}{2}-2''$ "	12.50		
TONICUDA	(Decel II		1-1
LON!CERA grandiflora		•	ie)
3-4'	.80	.70	
4-5'	1.00	.90	
MAGNOLIA soulangean	а — В&В		
2-3'	4.25	3.75	3.25
3-4'	. 5.50	5.00	4.00
4-5'	7.00	6.25	5.25
5-6'	9.00	8.00	7.00
6-7'	13.00	11.50	*.00
7-8'	18.00	17.00	
M. soulangeana nigra a			
2-3'	4.75	4.25	
3-4'	6.75	6.00	
4-5'	8.50		
5-6'	12.00		
6-7'	15.50		
M. halleana (Stellata)	(white) _	R.S.R	
3-4' Heavy	10.00	9.00	
4-5'	14.00	12.50	
5-6' "	18.00	12.00	
9-0	10.00		
MALUS almey and arn			Crab)
6-8' Heavy B.R.	6.00	5.00	
6-8' " B&B		9.00	
8-10' · · · '' B.R.	9.00	8.00	
3-10' " B&B	13.00	12.00	
10-12' " E&B	17.50		

	DULIE D IV	JUSETHES	, 1110.	10
		Each	Each per 10	Each per 100
MALUS e	leyi			
6-8'	Heavy B.R.	5.25	4.25	3.50
6-8'	" B&B	7.75	6.75	6.00
8-10'	" B.R.	6.75	5.75	4.75
8-10′	" B&B		8.50	7.50
M. hopa (Flowering Cr	ab)		
6-8'	Heavy B.R.	5.75	4.75	4.25
6-8'	" B&B		7.25	6.75
8-10'	" B.R.	7.50	6.50	6.00
8-10'	" B&B		10.50	9.50
M. pink v	veeping — B	&B		
6-8'		13.50	12.00	
8-10'		20.00	12.00	
OXYDENI	ORUM arbore	um (Sourv	vood) — I	8&B
3-4'		5.00	4.50	
4-5'	Heavy	7.00	6.00	
5-6'	;;	10.00	9.00	
6-7'	,,	14.00	12.50	
•				
PHILADE	LPHUS Mt. I	Blanc (Moc	k Orange))
3-4'		.90	.80	.70
4-5'		1.10	.90	
P. Avalan	che (double	improved	type)	
3-4'		.90	.80	.70
5-6'		1.35		
PICEA all	ba (White Sp	ruce)		
15-18"		2.00	1.75	
$1\frac{1}{2}$ -2'		2.25	2.00	1.75
P. excelsa	(Norway Sp	ruce)		
$3\frac{1}{2}-4'$	Heavy	4.75	4.50	
4-5'	"	6.00	5.50	
5-6'	,,	7.25	6.50	
6-7'	"	9.50		
PIERIS is	ponica (Andı	omeda)		
15-18"		3.75	3.50	3.25
$1\frac{1}{2}$ -2'		4.50	4.25	4.00
$\frac{1}{2}$ - $\frac{1}{2}$ - $\frac{1}{2}$ '		6.25	5.75	5.25
2½-3′		8.25	7.50	0.20
22-0		0.20		

PINUS densifiora (Japanese Red Pine) 3\frac{1}{2}4' Heavy 9.00

3½-4' Heavy 9.00 4-5' " 12.00

16	BULK'S	S NURSERIES	, INC.	
			Each	Each
		Each	per 10	per 100
PINUS th	iunbergi	(Jap. Black P		
$2-2\frac{1}{2}'$		4.50	4.25	4.00
$2\frac{1}{2}$ -3'		6.00	5.75	5.50
$3-3\frac{1}{2}'$	Heavy	8.25	7.75	7.25
$3\frac{1}{2}$ -4'	,,	10.00	9.25	8.75
$4-4\frac{1}{2}'$	"	13.50	12.00	
$4\frac{1}{2}-5'$,,	17.50		
PLATAN		-	e)	
	ndon Pla		0.50	7.00
$1\frac{1}{2}$ - $1\frac{3}{4}''$	Cal.	9.50	8.50	7.00
$1\frac{3}{4}-2''$	"	12.00	11.00	9.00
$2-2\frac{1}{4}''$		15.00	13.50	11.00
$2\frac{1}{4}$ - $2\frac{1}{2}''$	"	18.00	16.50	14.00
$2rac{1}{2}$ - $2rac{3}{4}^{\prime\prime}$,,	22.00	20.00	
$2\frac{3}{4} - 3''$	"	25.50	23.50	
$3-3\frac{1}{2}''$	"	30.00		
4-5"	"	55.00		
5-6′′	"	65.00		
POPULUS	nigra ita	alica (Lombard	-	
6-8'		1.50	1.25	1.00
8-10′		2.00	1.75	1.50
10-12′		3.00	2.50	
	glandulos	a (Pink Flowe	ring Almo	nd)
2-3'		1.25		
3-4'		1.75		
		ula (Japanese B&B 15.00 t		Cherry)
PSEUDOT	SUGA do	uglasi (Dougla	s Fir) (C	ompact)
$2-2\frac{1}{2}'$		3.25	3.00	2.50
$2\frac{1}{2}-3'$		3.75	3.50	3.00
3-4'		5.75	5.25	4.75
4-5'		7.25	6.75	6.00
6-7'		12.50	11.50	0.00
PYRACAN	THA lal	andi (Firethor	n)	
$1\frac{1}{2}-2'$	Containe	ers 2.35	2.00	1.75
$\tilde{2}$ - $2\frac{1}{2}'$,,	3.75	3.50	3.25
QUERCUS	palustris	(Pin Oak)		
$1\frac{3}{4}$ -2"	Cal.	13.00	12.00	11.00
$\frac{1}{2} - 2\frac{1}{4}$ "	"	16.00	14.50	13.50
21-21"	"	19.00	17.00	
$2\frac{1}{2} - 3''$	2.2	23.50	21.50	19.00
3-31"	"	30.00		
$3\frac{1}{2}-4''$	"	40.00		
RHODODE	ENDRON	carolinianum		

4.50

11-2'

BULK'S N	URSERIES,	INC.	17
	Each	Each per 10	Each per 100
RHODODENDRON m			
(Great Bay Rho	dodendron)		
$1\frac{1}{2}$ -2'	3.50	3.25	
$2-2\frac{1}{2}'$	4.25	4.00	
$2\frac{1}{2}-3'$	5.50		
3-4'	7.50		
RHODODENDRON Hy Boursault and Cata		ndiflora	
15-18"	4.50	4.00	3.25
$1\frac{1}{2}$ -2'	6.00	5.25	4.25
$2-2\frac{1}{2}'$	7.75	7.00	6.25
$2\frac{1}{2}$ -3'	10.00		
PHODODENDRONG H			
RHODODENDRONS H Caractacus, Crimso			Droccol
huys, Crimson; E.			
gent, Rosy Red; Er	glish Roseur	n. Rose-I	avender
15-18"	4.75	4.25	3.50
$1\frac{1}{2}$ -2'	6.25	5.50	4.50
$\frac{1}{2} \cdot \frac{2}{3}$	8.00	7.25	6.50
$2\frac{1}{2} - 3'$	11.00		
_			
RHUS cotinus Royal I (Red Leaved St	-		
2-3' B&B	3.75	3.50	
3-4' "	4.50	4.00	
R	OSES		
2-Year Heavy	1.25	1.00	
CLIMBING ROSES			
Blaze — red			
Paul Scarlet —	red		
New Dawn — r	oink		
,			
SALIX babylonica (W			
5-6'	1.50	1.25	1.00
6-8'	2.25	2.00	1.75
8-10' 1½-1¾" Ca		4.00	
$\begin{array}{cccc} 10\text{-}12' & 1\frac{3}{4}\text{-}2'' & \\ 10\text{-}12' & 2\cdot 2\frac{1}{2}'' & \end{array}$	5.50	$\frac{5.00}{7.25}$	6.50
$10-12'$ $2\cdot 2\cdot 3''$ " $10-12'$ $2\cdot 3\cdot 3''$ "	0.00	10.50	0.50
10-14 42-0	12.00	10.00	
S. purpurea nana (Dw	arf Arctic V	Willow)	
2-3'	1.00	.80	.65
3-4'	1.25	1.10	.90
4-5'	1.50	1.25	

	Each	Each per 10	Each per 100
SARCOCOCCA hook			
-	for partly		
6-8"	.50	.40	.30
8-12"	.65	.55	.45
SORBUS aucuparia	(Mountain Ash	1)	
$1\frac{1}{4}$ - $1\frac{1}{2}$ " Cal.	4.50	4.00	
$1\frac{1}{2}$ - $1\frac{3}{4}$ " "	6.50	5.75	
$1\frac{3}{4}$ -2" "	8.75	8.00	
SPIREA Anthony W	aterer		
2-3'	1.00	.85	.75
3-4'	1.25	1.10	
S. van Houttei (Brid	al Wreath)		
2-3'	.90	.75	.65
3-4'	1.10	.90	.80
4-5'	1.25	1.10	
SYMPHORICARPOS	racemosus (Snowberry	y)
2-3'	.70	.60	.50
3-4'	.85	.70	.60
S. vulgaris (Coralber	rry)		
2-3'	.70	.60	
3-4'	.85	.70	.60
SYRINGA persica (Persian Lilac)		
$2\frac{1}{2}$ -3'	1.75	1.50	
3-4'	2.25	2.00	
S. vulgaris (Common	ı Lilac)		
2-3' Heavy	2.00	1.75	
3-4' "	2.50	2.25	
4-5' "	3.50	2.20	
S. French Hybrid Li	laa (in variati	os) P(PTD
2-3' Heavy	2.75	2.50	2.25
3-4' "	3.50	3.25	3.00
4-5' "	4.50	4.25	4.00
5-6' "	6.00	5.25	2.00
TAMARIX africana			
4-5'	1.00	.90	.80
5-6'	1.35	1.10	.95
5.0	1.00	1.10	.00

THE YEW

The Quality of Bulk's Taxus Is Widely Known.
Our Prices Represent Excellent Values.

~~~~~~	~~~	~~~~	~~~
		Each	Each
TO A SETTICE IN	Each	per 10	per 100
TAXUS baccata repande			
(Spreading Englis	h Yew)		
15-18′	5.00	4.75	4.00
$1\frac{1}{2}$ -2'	6.25	5.75	5.00
	8.25	7.50	6.50
$2-2\frac{1}{2}'$		7.50	0.50
$2\frac{1}{2}$ -3'	10.50		
T. cuspidata (Spreading	Jap. Y	(we	
	_	-	
15-18"	3.75	3.50	
$1\frac{1}{2}$ -2'	4.75	4.50	4.00
$2-2\frac{1}{2}'$	6.00	5.75	5.25
$2\frac{1}{2}-3'$	8.50	8.00	7.25
$3-3\frac{1}{2}$	11.50	10.00	
$3\frac{1}{2}-4'$	14.50	10.00	
~ - ~			
T. cusp. nigra (Bulki —	Bulk's Ye	w) (Same	habit of
growth as Taxus cu			
very dark foliage, a			псононе
	-		
15-18"	4.00	3.75	
$1\frac{1}{2}$ -2'	5.00	4.75	4.25
$2-2\frac{1}{2}'$	6.25	6.00	5.75
$2\frac{1}{3}-3^{7}$	8.75	8.25	7.75
			1.10
T. cuspidata capitata (U			
$2\frac{1}{2}$ -3'	7.50	7.00	
$\bar{3}$ -3 $\frac{1}{2}$ '	9.50	8.75	8.00
$3\frac{1}{2}$ -4'	12.00	11.00	0.00
$3\frac{1}{2}$ -4' Heavy	13.50	12.50	
			10.50
$4-4\frac{1}{2}'$	14.50	13.50	12.50
$4-4\frac{1}{2}'$ Heavy	17.50	16.00	
$4\frac{1}{2}$ -5'	18.50	17.00	16.00
$4\frac{1}{2}$ -5' Heavy	22.00	20.00	
$5-5\frac{1}{2}$ Reg.	22.00	20.00	18.50
$5.5\frac{1}{2}$ Heavy	27.00	24.50	20.00
$5\frac{1}{2}$ -6'	28.00	25.50	
$5\frac{1}{2}$ -6' Heavy	32.00		
8-9' Heavy	48.00	44.00	
9-10' "	57.00	53.00	
10-11′ "	80.00		
11-12' "	100.00		
11-12			
14-16' "	130.00		
T. capitata columnaris (	Columnar	Yew)	
$3\frac{1}{2}$ -4'	12.00	11.00	10.00
2			
$4-4\frac{1}{2}'$	15.00	14.00	13.00
$4\frac{1}{2}$ -5'	19.00	18.00	17.00
$5-5\frac{1}{2}'$	23.50	22.00	20.00
53-67	27.00	25.00	
020	21.00	20.00	

 $3-3\frac{1}{2}'$ 

40	BULKS	NUISERIES,	iivo.	
		Each	Each per 10	Each per 100
ТА	XUS cuspidata ca		per 10	per 100
	Large Leaf U			
	(An upright		eaves res	embling
		nana — a ve		
	$2-2\frac{1}{2}'$	6.50	6.00	
	$2\frac{1}{2} - 3'$	7.50	7.00	6.50
	$3-3\frac{1}{2}'$	10.50	9.50	9.00
;	$3\frac{1}{2}-4^{7}$	13.50	12.50	12.00
	$4-4\frac{1}{2}'$	17.50	16.00	
4	$4\frac{1}{2}$ -5'	22.00		
T.	hibernica (Irish )	Yew)		
	$3\frac{1}{2}-4'$	22.00		
	$4.4\frac{1}{2}'$	23 90		
^	intermedia (Hybrosomero) (Spreading Ty			
	15-18"	4.25	4.00	3.75
	15-16 1 ₂ -2'	5.25	5.00	4.75
	$\frac{1}{2} \cdot \frac{2}{2}'$	6.75	6.25	6.00
	$2\frac{1}{2} \cdot 3^{2}$	9.00	8.25	
	$\bar{3}$ -3 $\frac{1}{2}$ '	14.00	12.75	
	4-5'	27.00		
T.	media hatfieldi (	Hatfield Yew	·)	
	15-18"	3.75	3.50	3.25
	$1\frac{1}{2}$ -2'	4.50	4.25	4.00
	$2-2\frac{1}{2}'$	5.50	5.25	5.00
	$2-2\frac{1}{2}$ Heavy	7.50	7.00	6.50
	$2\frac{1}{2}$ -3' Reg.	7.75	7.25	6.75
	$2\frac{1}{2}$ -3' Heavy	9.50	8.75	8.00
	$3-3\frac{1}{2}'$ Reg.	$11.00 \\ 14.00$	$10.00 \\ 13.00$	
	3-3½′ Heavy	14.00	13.00	
	nicksi (Hick's Ye			
	15-18″	3.50	3.25	
	$1\frac{1}{2}$ -2'	4.25	4.00	3.75
	$\frac{1}{2} \cdot 2\frac{1}{2}'$	5.50	5.25	5.00
	$2\frac{1}{2}$ -3' Reg. $2\frac{1}{2}$ -3' Heavy	$7.75 \\ 9.00$	7.25	6.75
•	$2\frac{1}{2}$ -3' Heavy $3$ - $3\frac{1}{2}$ ' Reg.	9.00	8.50	
	$3-3\frac{1}{2}$ Heavy	14.00	13.00	
;	$3\frac{1}{2}$ -4' Heavy	18.50	17.00	
T.	nana brevi <b>folia</b> (	Dwarf Yew)		
	15-18"	4.25	4.00	3.75
	11-2'	5.75	5.25	
	2-21/	8.25	7.75	
	$2\frac{1}{2}$ -3'	12.00	1.10	
	42-0	12.00		

16.00

BULK'S	NURSERIES	, INC.	21
THUJA occidentalis	Each s (American	Each per 10 <b>Arborvita</b>	Each per 100
3-4'	3.75	3.50	
4-5'	4.75	4.50	4.25
5-6'	6.00	5.50	1.20
<i>9</i> -0	0.00	0.00	
T. occ. compacta and	l hoveyi		
T. occ. erecta	I who write o		
(Globe Type A		0.00	4 85
15-18″	2.25	2.00	1.75
$1\frac{1}{2}-2'$	2.75	2.50	2.25
$\frac{\bar{2}-2\frac{1}{2}'}{2}$	3.25	3.00	2.75
$2\frac{1}{2}$ -3'	4.00	3.75	3.50
$3-3\frac{1}{2}'$	5.00	4.50	4.00
T. occ. nigra (Dark	American Ar	borvitae)	
$2\frac{1}{2}-3'$	3.25	3.00	2.75
3-4'	4.00	3.75	3.50
4-5'	5.25	4.75	4.50
5-6'	6.75	6.25	5.75
6-7'	8.50	7.50	
T. occ. plicata (Giar	nt Arborvitae	)	
$2\frac{1}{2}-3'$	3.50	3.25	3.00
3-4'	4.25	4.00	3.75
4-5'	5.50	5.00	4.75
5-6'	7.25	6.50	6.00
T. occ. pyramidalis	(Pyramidal	Arb.)	
3-4'	4.00	3.75	
4-5'	5.25	4.75	4.50
5-6'	6.50	6.25	5.75
T. occ. rosenthali (Ro	senthali Arb.	)	
$2\frac{1}{2}-3'$	4.25	4.00	
$3-3\frac{1}{2}$	5.00	4.75	
$3\frac{1}{2}-4'$	6.50	6.00	5.75
4-5'	8.00	7.25	
T. occ. wareana (Sil	berian Arb.)		
$2-2\frac{1}{2}'$	2.75	2.50	
$2\frac{1}{2}$ -3'	3.25	3.00	
3-4'	5.00	4.50	4.00
4-5'	6.50	6.00	1.00
6-7'	12.00	0.00	
T. orientalis nana a			
$2-2\frac{1}{2}'$	3.75	3.50	3.25
$2\frac{1}{2}$ -3'	4.50	4.00	3.75
3-31/	5.50	5.00	4.50
~			

22	BULK'S	NURSERIES,	INC.	
			Each	Each
morro a		Each	per 10	per 100
	anadensis	(Canadian H		0.50
$1\frac{1}{2}-2'$		3.25	3.00	2.50
$\frac{\bar{2} \cdot 2\frac{1}{2}'}{2}$		3.75	3.50	3.00
$2\frac{1}{2}-3'$		4.75	4.50	4.00
$3-3\frac{1}{2}'$		6.50	6.00	5.25
$3\frac{1}{2}-4'$	TT	7.50	7.00	6.25
$3\frac{1}{2}-4'$	Heavy	9.00	8.50	7.75
4-5'	TT	10.00	9.00	8.00
4-5'	Heavy	12.00	11.00	10.00
5-6'	"	14.50	13.25	12.50
6-7′		20.00	18.00	
T. canade	nsis Sarge	nti (Weeping	Hemlock)	
$1\frac{1}{2}$ -2'		10.00		
$2-2\frac{1}{2}'$		14.00		
ULMUS a	mericana	(American Eli	m)	
5-6"	Cal.	37.00	33.00	
6-7"	"	48.00	43.00	
7-8"	27	60.00	55.00	
¥7	C.II. Chair	D		
		tine Buisman inst Dutch Eli	m Diconco)	
$1\frac{1}{2} \cdot 1\frac{3}{4}''$	_	13.50	II Disease)	
$1\frac{2}{2}$ - $1\frac{4}{4}$	cai.	16.50		
14-4		10.50		
U. pumila	(Siberian			
$2-2\frac{1}{2}''$	Cal.	13.00	12.00	
$2\frac{1}{2}$ -3 $^{\prime\prime}$	"	17.00	15.50	
$3-3\frac{1}{2}''$	"	22.00		
$3\frac{1}{2}-4''$	"	27.00	25.00	
4-5"	"	35.00		
5-6"	,,	42.00		
	M carlesi a	ınd juddi — I	3&B	
$2-2\frac{1}{2}'$		4.25	4.00	
$2\frac{1}{2}$ -3'		5.25	4.75	
3-4'		6.50	6.00	
V. dilatatu	ım (Japane	ese Bush Cran	berry)	
	carlet Berri		~,	
4-5'		2.00	1.75	
5-6'		3.00	2.75	
-	(Nanny B	• .		
3-4'		1.50	1.25	1.00
4-5'		1.75	1.50	1.25
5-6'		2.00	1.75	
6-7'		2.50		
V. op. ster	ilis (Comm	on Snowball)		
2-3'		1.25	1.00	.90
3-4'		1.50	1.25	1.10
4-5'		1.75	1.50	

	z rioriozitiza,	22101	
	Each	per 10 Each	per 100 Each
VIBURNUM rhyti			-
(Leather Le	eaf Viburnum) -	− B&B	
$2-2\frac{1}{2}'$	3.50	3.00	
$2\frac{1}{2}-3'$	4.75	4.25	
3-4'	6.00	5.50	
$4-4\frac{1}{2}'$	8.00		
V. tomentosum (D	ouble File Vibu	ırnum)	
2-3'	1.25	1.0ô	
3-4'	1.50	1.25	
4-5'	1.75	1.50	1.25
5-6'	2.25	2.00	1.75
7-8'	4.50	4.00	
8-9'	6.00	5.25	
WEIGELA nana v	ariegata (Varieg	ated Foli	iage)
2-3'	1.25	1.00	
3-4'	1.50		
W. vaniceki			
2-3'	1.00	.80	.70
3-4'	1.25	1.00	.85
4-5'	1.50	1.25	1.10

#### WISTERIA chinensis & Floribunda Hybrids

4-Yr.	Grafts	2.50	2.25
10-Yr.	Grafts	8.00 to 12.00	

#### LINING OUT STOCK **Large Quality Liners**

Each Each per 10 per 100 Each

#### 2-YEAR LINERS

#### AZALEA hinocrimson

8-12" .75

#### A. hinomayo

8-12" .75

#### A. led. alba

8-12" .75

#### MALUS LINERS

#### ALMEY

4-5' 1.50 1.25

#### ELEVI

4-5' 1.25 1.50

#### HOPA

8-12"

4-5' 1.50 1.25

#### Each per 100 Each per 1000 TAXUS cusp. capitata Twice transplanted - grown in field rows


from excellent cuttings.

.45

.35

12-18" .60 .50

18-24" 70. .60



# BULK'S NURSERIES

INC.

BABYLON, NEW YORK

Telephone MOhawk 9-4400

#### **NEW JERSEY BRANCH NURSERIES**

Smithburg - Manalapan Road R.D. No. 3, Freehold, N. J.

(4 Miles Southwest of Freehold — Off Freehold - Mt. Holly Road)

Telephone FReehold 8-5500

